Gi media®

Catálogo de Productos

Led Soluciones

HD QUALITY 4K

1920 * 1080 restores each pixel for you

SPLIT SCREEN OPTIONALLY

Android, Windows 7 and windows8 OS, the operation method is as convenient, simple and intelligent as the ipad

Gi media®

Totems INTELIGENTES





SPLIT SCREEN OPTIONALLY HD QUALITY

WVZ-49VI-1/T/PC
MODELO VERTICAL DE 49 PULGADAS CON PANTALLA TÁCTIL Y WINDOWS PC

Exterior size

49" 【1850*707*45】
55" 【1900*778*45】

Display size

49" 1075.5（H）*607（V）
55" 1208（H）*679（V）

49´´: 1.520,00 €

55´´: 1.810,00 €

Product size	49" 55"	Contrast	5000：1
Resolution	1920（H）X1080（V）	Ratio	16：9
Visible angle	178°	Brightness	>400cd/㎡
Show color	18 million colors	Response time	<5ms
Lifetime	50000 small time	Row frequency	30khz-80khz
Touch	IR touch/ Capacitive touch		
OS language	Chinese, English, Russian, French, German, Spanish, Arabc , ect.		
	MAIN BOARD LAYOUT		
RAM	DDR3-1333/1600 2G/4G		
CPU / Processor	Rk3368 / Rk3288 / Intel core I3		
Extended storage	8G ROM OR 500G SSD		
Intemrt / Ethernet	Thousands of trillion-younger than a net-core piece		
OS	Android / Windows 7 / Windows		

Note: product data are for reference only, the actual product shall prevail

Gi media®

Totems INTELIGENTES



DUAL SCREEN KIOSK INTERIOR FULL HD QUALITY

GWX-4901-2
MODELO VERTICAL DE 49 PULGADAS CON PANTALLA TÁCTIL Y WINDOWS PC

Exterior size

49" 【1850*707*45】
55" 【1900*778*45】

Display size

49" 1075.5（H）*607（V）
55" 1208（H）*679（V）

49´´: 2.800,00€

55´´: 3.500,00€

Product size	49" 55"	Contrast	5000：1
Resolution	1920（H）X1080（V）	Ratio	16：9
Visible angle	178°	Brightness	>400cd/㎡
Show color	18 million colors	Response time	<5ms
Lifetime	50000 small time	Row frequency	30khz-80khz
Touch	IR touch/ Capacitive touch		
OS language	Chinese, English, Russian, French, German, Spanish, Arabc , ect.		
	MAIN BOARD LAYOUT		
RAM	DDR3-1333/1600 2G/4G		
CPU / Processor	Rk3368 / Rk3288 / Intel core I3		
Extended storage	8G ROM OR 500G SSD		
Intemrt / Ethernet	Thousands of trillion-younger than a net-core piece		
OS	Android / Windows 7 / Windows		

Note: product data are for reference only, the actual product shall prevail

Gi media®

Totems INTELIGENTES

ROTATING DIGITAL SIGNAGE

MODELO ROTATIVO DE 49 PULGADAS CON PANTALLA TACTIL Y WINDOWS PC

49´´: 2.200,00 €



size	49"	Brightness	550CD/
Screen Resolution	1920*1080	Color	16.7M
Response time	5MS	Contrast	2000 : 1
Power input	AC110-240V	Screen type	LED
Viewing angle	Top/bottom/left/right : 89°、89°、89°、89°		
operating system	Android 4.4.2、Windows 10		
Image Format	JPG、PNG、BMP、GIF		
Other support formats	PDF, powerpoint, SWF, text, real-time data flow		
Video format	Stand by MPEG-1、MPEG-2、AVI(3.11)、XVID、H.264		
split screen	Video, image area, scroll title, LOGO area, date time zone, weather forecast area, real time photo area, real-time video area		

	PLAY MODE	INPUT INTERFACE	CPU
Android	After the advertising machine is connected, the software is released on the computer, controlling the advertising machine and changing the content. It can also be replaced by a usb stick	SD / USB / Ethernet / WIFI	RK3368/RK3288
Windows	After the advertising machine is connected, the computer is used to manage the content of the advertising machine directly.	SD / USB / Ethernet / WIFI	I3/I5/I7

Gi media®

Totems INTELIGENTES

A real multi-purpose machine

Comprehensive and convenient your work and life

MODELO HORIZONTAL TIPO ATRIL DE 43" 49" 55" CON PANTALLA TACTIL Y WINDOWS PC

43´´: 1.510,00 €
49´´: 1.840,00 €
55´´: 2.010,00 €

1.Touch screen Kiosk

Applicable to hotel. shopping mall.

2.Mall shoppers machine

multi-purpose Shopping guide machine

3.Theater-level enjoyment

1080P high-definition stereo sound

Machine size	21.5：530*325*1080mm	32：780*465*1100 mm	43：1000*650*1150 mm
	49：1180*700*1200mm	55：1280*750*1250mm	
Resolution	1920*1080	Display brightness	550CD/m²
Color degree	16.7M	Working voltage	100-240,50-60HZ
Power	≤500W	Working temperature	0-50°
Contrast	200Đ 1	Response time	5ms
Viewing angle	178°/178°	Backlight life	60000h
Material	Metal paint, tempered glass, cold rolled steel		
OSD language	Chinese, English, French, German, etc.		
Decoding method	Dynamic full 3D sanding filter decoding		
Touch (optional)	IR touch touch、Grid touch touch、Capacitive touch		

HOST MATCHING

(Android Touch version)	CPU: RK3368 Rk3288 Running memory: 2 G Storage memory: 8 G System: Android 4.4.2 (Optional) Android 5.0 system
(Windows touch version)	CPU: I3 (I5/I7 Optional) memory: 4G (8G/16G Optional) Hard drive: 120G solid Motherboard: industrial motherboard
I/O Interface	2*YPbPr、2*HDMI、1*S-Video、1*VGA、1*AV、1*AV out、1*USB、1*TV Tuner

Totems INTELIGENTES

Vertical screen air conditioning

Totem digital GWX-4902-1 exterior un cara c/pie

3.130,00 €

PRODUCT PARAMETERS

Display size：55”	Leakage protector：Yes
Touch：Capacitive touch	Backlight：LED
Switching power supply： Industrial power	
Waterproof loudspeaker：Waterproof high quality 10W horn	
Lightning protection device：Level 3 lightning protection	
Heat dissipation：Intelligent air-conditioning heat dissipation heat system + weather control panel	
Working temperature：-30℃~+50℃	
Working humidity：5%~95%	
Working voltage：AC 220V/50Hz	
maximum power consumption：AC 220V/50Hz	
PC motherboard: Android	

Multi Split screen templates

Landscape and horizontal Playing

Pick up

Multiple switching effect

Personal data encryption

Multiple source output

Scroll-caption announcement

Gi media®

Totems INTELIGENTES

MODELO PLEGABLE DE 43 PULGADAS CON PANTALLA TÁCTIL Y WINDOWS PC

WVZ-43FI-1/T/PC **1.500,00 €**

WVZ-43FI-1/PC **1.210,00 €**

Product size	32" 43" 49"	Contrast	2000:
Resolution	1 920 (H) X1080 (V) /3840*2160	Ratio	16: 9
Visible angle	178 °	Brightness	> 400cd/m
Show color	16.7 millioncolors	Response time	<5ms
Lifetime	5 0000 small time	Row frequency	30khz-80khz
Touch	IR touch/ Grid touch / Capacitive touch		
OS language	Chinese, English, Russian, French, German, Spanish, Arabc, ect.		
	(Main board layout)		
RAM	DDR3-1 333/160 02G		
CPU/ Processor	Rk3399 / Rk3288 / Intel core 13/15/17 (Se lection)		
Extended storage	SSD 32G (Solid State Drive SSD 32G/120G/240G/500G)		
Internet/ Ethernet	(Thousands of trillion-younger than a net-core piece)		
OS	Android / Windows 7 / Windows 8 / Windows 10		
Note: product data are for reference only, the actual product shall prevail			

Gi media®

Totems INTELIGENTES



MODELO ESPEJO DE 43 PULGADAS CON PANTALLA TÁCTIL Y WINDOWS PC

1.750,00 €

WVZ-43MI-1/T/PC

SCREEN SPECIFICATION			
LED type	TFT-LED	Display color	16.7M
Viewing angle	Up and down: 178 ° or so: 178 °		
Response time(ms)	6ms	Screen size	43" (16：9)
Scanning frequency	60HZ	Brightness	300cd/m2
Resolution	1920*1080（Optional 4K）	Contrast	1200:1
TOUCH WRITING SYSTEM			
Touch surface material	4mm tempered glass		
Touch mode	Projection capacitive touch screen (with nano-silver material instead of ITO layer) /		
Writing method	Finger, capacitive pen		
Touch points	10 points	Touch accuracy	≤±1.5mm
Communication Interface	USB2.0 full speed		
Calibration method	System automatic calibration		
Lifetime	Physical steel Mohs 7		
Drive mode	Free drive	Response time	≤6ms
Lifetime	The same location more than 60 million times		
OPERATING SYSTEM			
Program	Andriod network version		
Processor	Rk3288, quad-core ARM Cortex-A53 architecture, clocked at 1.8 GHz		
Built-in memory	NAND FLASH 8G(Optional 16G)		
Memory expansion	The maximum support 32GB SD card expansion, while supporting SATA hard disk expansion		
RAM	2G (optional)		
Network support	Ethernet, WiFi		
Operating system	Android 5.1(support for upgrades)		
Menu language	Chinese, English, French, German, Italian, Japanese, Korean, Russian, Spanish, Polish, Czech and other languages;		
OTHER PARAMETERS			
Voltage	100-240V/50-60Hz	Standby power	≤0.5W
Rated power	Standard: about 65W		
Operating temperature	Non-fog state -10℃-60℃		
Save the temperature	Non-fog state -20℃-70℃		
Working humidity	Humidity 20% -90%		
Save humidity	Humidity 20% -90%,		



One split screen | Two split screen | Three split screen | Four split screen

Gi media®

Totems INTELIGENTES

WVZ-21TT-4/T/PC MODELO MESA CON 4 PANTALLAS TÁCTILES Y WINDOWS PC EN CADA PANTALLA

3.420,00 €

Screen specification			
LED type	TFT-LED	Display color	16.7 M
Viewing angle	178' /178'	screen size	32" /43" /49" /55"
Response time(ms)	6.5ms	Brightness	390cd/m2
Scanning frequency	60HZ	Contrast	2000:1
Resolution	1920*1080 (Optional 4K)		
Touch specification			
Touch surface material	5mm tempered glass		
Touch mode	Projection capacitive touch screen (with nano-silver material instead of ITO layer)		
Writing method	Finger, capacitive pen		
Touch points	1 Opoints	Touch accuracy	≤ ± 1.5mm
Port	USB2.0 full speed		
Calibration method	System automatic calibration		
Surface hardness	Physical steel Mohs 7 explosion		
Drive mode	Free drive	Response time	< 10ms
Lifetime	The same location more than 60 million times		
Operating system			
		Processor	152.9GHZ/Rk3399/Rk3288
Program	windows	Hard disk	120GB
WIFI	802.11 n/b/g		
The internet	With RJ45 interface 1 ODOM		
Operating system	Windows7/Windows10 Android5.1/Android7.1	RAM	4G DDR3
USB	4* USB 2.0 , 2* USB 3.0	HDMI output	3840x2160
VGA output	1920x1080		
voltage	100-240 V/50-60Hz	Standby power	≤0.5W
Rated power	Standard: about 240W		
Operating temperature	Non-fog state -1 O℃ -6 0 ˚c		
Save the temperature	Non-fog state -20 ℃ -70 ℃		
Working humidity	Humidity 20% -90%		
Save humidity	Humidity 20% -90%,		

Gi media®

Totems INTELIGENTES

MODEL: GIZ-21MGI-1/PP MODELO REVISTERO DE 22", PLUG&PLAY

PANEL SPECIFICATIONS	
Panel Model	21.5inch TFT LED
Max Resolution	1920x1080
Aspect Ratio	16:09
Pixel Pitch	0.24825x0.24825
Viewing Angle	89/89/89/89
Contrast Ratio	3000:1
Brightness	300cd/m²
Response Time	5ms
Display Area (mm)	476.64x268.11
Panel Size(mm)	495.6x292.2x8.6
Screen Weight	1.67Kg
Lamp Type	WLED
Machine Weight	24.5KG
Dimensions(mm)	1580x38x370
Speaker Type	10Wx2pcs
Consumption	25 W
Power Input	AC 100-240V
CONNECTORS	
USB 2.0	X1
HDMI (Output)	X1
SD (Optional)	X1
Rj45 (Optional)	X1
3G SIM (Optional)	X1
ON/OFF	X1
MECHANICAL	
Cabinet Material	Metal
Finish	Black

450,00 €

GIZ-21MGI-1/PP

Optional

- ※ Android 4.4 operating system
- ※ Rockchip RK3188 Quad Core CPU
- ※ 1/2GB DDR3 + 8/16GB Flash
- ※ 802.11 b/g/n internal Wifi
- ※ 3G/WIFI/WLAN network connection
- ※ Remote management software
- ※ Portrait & landscape display mode
- ※ 1080P display output
- ※ Capacitive touch
- ※ Newspaper shelves

Totems INTELIGENTES

GIZ-32MGI-1 : Modelo Revistero de 32 Pulgadas con ANDROID
GIZ-32MGI-1/PP: Modelo Revistero de 32 Pulgadas, PLUG&PLAY

880,00 €

GIZ-32MGI-1

830,00 €

GIZ-32MGI-1/PP

PANEL SPECIFICATIONS	
Panel Model	32inch TFT LED
Max Resolution	1920x1080
Aspect Ratio	16:09
Pixel Pitch	0.24825x0.24825
Viewing Angle	89/89/89/89
Contrast Ratio	4000:1
Brightness	400cd/m²
Response Time	5ms
Display Area (mm)	698.4x392.9
Panel Size(mm)	723.4x422.9x15
Screen Weight	2.80Kg
Lamp Type	WLED
Machine Weight	32.5KG
Dimensions(mm)	1750x40x787
Speaker Type	10Wx2pcs
Consumption	25 W
Power Input	AC 100-240V
CONNECTORS	
USB 2.0	X1
HDMI (Output)	X1
SD (Optional)	X1
Rj45 (Optional)	X1
3G SIM (Optional)	X1
ON/OFF	X1
MECHANICAL	
Cabinet Material	Metal
Finish	Black

Optional

- Android 4.4 operating system
- Rockchip RK3188 Quad Core CPU
- 1/2GB DDR3 + 8/16GB Flash
- 802.11 b/g/n internal Wifi
- 3G/WIFI/WLAN network connection
- Remote management software
- Portrait & landscape display mode
- 1080P display output
- Capacitive touch
- Newspaper shelves

Gi media®

Totems INTELIGENTES

MODELO HORIZONTAL TIPO ATRIL DE 21,5 PULGADAS CON PANTALLA TACTIL, WINDOWS PC E IMPRESORA

1.500,00 €

Features

- ※ CPU: Intel® Core® Processor, I3 5010U (Dual core four thread, 3M L3 Cache,2.1GHz)
- ※ Chipset: Haswell-U
- ※ Graphic Card:Intel HD5500
- ※ Memory: 4GB RAM, 120G SSD
- ※ Audio: Realtek ALC662
- ※ Ethernet LAN: 1*RTL8111E LAN
- ※ Capacitive Touch

80mm Thermal Printer
optional

PANEL SPECIFICATIONS	
Panel Model	22 inch TFT LED
Max Resolution	1920x1080
Aspect Ratio	16:09
Pixel Pitch	0.2715x0.2715
Viewing Angle	89/89/89/89
Contrast Ratio	3000:1
Brightness	300cd/m²
Response Time	5ms
Display Area (mm)	521.28x293.22
Panel Size(mm)	544.8x320.5x11.5
Screen Weight	2.3Kg
Lamp Type	WLED
Machine Weight	8.6KG
Dimensions(mm)	590x65x370
Speaker Type	10Wx2pcs
Consumption	36 W
Power Input	AC100-240V
CONNECTORS	
USB 2.0	X4
HDMI (Output)	X1
AC	X1
Rj45	X1
VGA (Output)	X1
ON/OFF	X1
MECHANICAL	
Cabinet Material	Metal
Finish	white

Gi media®

Totems INTELIGENTES

MODELO IPAD DE 21 PULGADAS CON PANTALLA TÁCTIL Y ANDROID

670,00 €

MODELO IPAD HORIZONTAL DE 32 PULGADAS CON PANTALLA TÁCTIL Y ANDROID

830,00 €

(mm)

Screenspecification			
Screengrade	A Level	Displaycolor	16.7M
Contrast	1000:1-5000:1	Viewingangle	H: 178° V: 178°
Responsetime(ms)	8/s	Brightness	300cd/m² 1500cd/m²
Resolution	1080P1920*1080		
Android System			
RAM: 2G ROM: 8G	WIFI: Yes	Horn	2x5W(80)- 2*10W
Lifetime	50000 hours	Power	AC100-240v50/60HZ
CPU: Rk3368 / Rk3288/Rk3399 / Intelcore 13/15/17 (Optional)		Operatingsystem	> Android4.4
Rated power ≤80W	LVDS: 1 drive50/60Hz		
Otherparameter			
Touch function	10 points capacitivetouch		
Workingtemperature	0℃~50℃/20%-80%		
Storagetemperature	0℃~50℃/20%-80%		
Interface: 2*USB2.0, RJ45, Audio, HDMI, DC, VGA			
MenuLanguage: Chinese, English, Spanish, Russian, German, French, Arabic			
VideoFormat: rm, rmvb, avi, mpeg, mpg, dat, mov, asf, mtv, mkv, wmv, 3gp, amv, dmv, divx etg.			
Audio/image/file format: mp3, wma, wav; pg, gif, png;word, excel; pdf, RSS news, flash, Dynamicwebpagesetc..			

Gi media®

Totems INTELIGENTES

AUTOMATIC HAND SANITIZER
DISPENSER DISPLAY

680,00 €

TECHNICAL PARAMETERS

PRODUCT SIZE	RESOLUTION	BRIGHTNESS	COLOR
21.5 INCH	HD 1920*1080P	350CD/M²	16.7M
CONTRAST	**RESPONSE TIME**	**VIEWING ANGLE**	**LIFESPAN**
1500:1	3MS	178°/ 178°	50000H

PORTS	AUTOMATIC DISPENSER PUMPS	POWER CONSUMPTION
WIFI/ RJ-45/ SWITCH/USB	GEL / FOAM / LIQUID (3 TYPES OF PUMPS EQUIPPED)	35 W
CAPACITY	**SOFTWARE**	**FEATURES**
1000 ML OR 3000ML	CMS SOFTWARE/ NETWORK LOW WATER REMINDER	DUAL DOORS DESIGN, SCREEN DISPENSER SEPARATELY

MATERIAL	OPERATE LANGUAGE
METAL SHELL, COLD ROLLED STEEL, TEMPERED GLASS	ENGLISH/ RUSSIAN/ FRENCH/ GERMAN/ JAPAN/ITALIAN/CHINESE
TOUCH	**INDUSTRIAL GRADE MOTHERBOARD**
NON TOUCH (DEFAULT), CAPACITIVE TOUCH (OPTIONAL)	RK3288/2G RAM/ 8G ROM NETWORK WATER LEVEL REMINDER+ADVERTISE REMOTELY

Gi media®

Led Soluciones

- Gama de Banderolas LED de Publicidad Doble Cara Exterior

Precio: 2675,00 €

Precio: 1995,00 €

Precio: 1585,00 €

Características técnicas:

P4	P5	P8
• **LED: SMD** • **Pich: 4mm** • **±5.000/ 5.500nits** • **Dist. de visualización: ±4m** • **Ang. de visualización 140ºH / 130ºV±10º** • **Potencia máx. ± 744w** • **Consumo medio: ± 298w** • **Escaneo: ±10s** • **Frec. 3840Hz** • **Temp. de trabajo -20º / +45º** • **H. de trabajo : 10-90%** • **Medidas:** • **Apertura hacía arriba** • **700*700*140mm** • **160*160 pixel** • **PESO: 29,4 kg neto / CON EMBA 32 kg + 5KG PATA / 780*780*190mm**	• LED: SMD • Pich: 5mm • ±5.000/ 5.500nits • Dist. de visualización: ±5m • Ang. de visualización 140ºH / 130ºV±10º • Potencia máx. ± 610w • Consumo medio: ± 187w • Escaneo: ±8s • Frec. 3840Hz • Temp. de trabajo -20º / +45º • H. de trabajo : 10-90% • **Medidas:** • Apertura hacía arriba • 700*700*140mm • 128*128 pixel • PESO: 30,500KG / CON EMBA 32,700KG+5KG PATA / 790*790*200mm	• LED: SMD • Pich: 5mm • ±5.000/ 5.500nits • Dist. de visualización: ±5m • Ang. de visualización 140ºH / 130ºV±10º • Potencia máx. ± 710w • Consumo medio: ± 284w • Escaneo: ±5s • Frec. 3840Hz • Temp. de trabajo -20º / +45º • H. de trabajo : 10-90% • Wifi 3G y 4G • **Medidas:** • Apertura hacía arriba • 700*700*140mm • 128*128 pixel PESO: 29,4 KG / CON EMBA 32KG + 5KG PATA / 780*780*200mm • Pata: 512*175*215mm • * Tanto las banderolas full color P5 como la P8 cuentan con un chasis de medidas estándar que se adaptan a todas las normativas.

Gi media®

Led Soluciones

-- Carteles LED P 5 Aries XL para Exterior doble cara 134x86x14 cm

Resistencia a los fenómenos atmosféricos y alta resistencia por su grado IP54
Los carteles luminosos de LED son fabricados con materiales de gran resistencia
Cierre de seguridad, marco antivandálico y apertura de muelle por gas.
Sistema AirFresh integrado
Múltiples idiomas disponibles
Cartel LED programable con textos, videos, imágenes
Cartel LED P4 Exterior : Pixel pitch: 4mm
Cartel LED P5 Exterior : Pixel pitch: 5mm

134x86x14 cm

Precio : 3400,00 €

Gi media®

Led Soluciones

- Carteles LED para Interior y Exterior Módulo Apilable 50 x 50 cm



Descripción	Precio
50x50 cm Led P 3,91 exterior	550,00 €
Player Novastar TB1-4G	195,00 €
Player Novastar TB2-4G	288,00 €

Gi media®

Led Soluciones

- **Pantalla 8 Módulos 50cm x 50 cm**

- **Pantalla 4 Módulos 50cm x 50 cm**

Gi media®

Led Soluciones

- Carteles LED para Interior y Exterior Módulo Apilable 100 x 50 cm

Descripción	Precio
100x50 cm Led P 3,91 exterior	800,00 €
Player Novastar TB1-4G	195,00 €
Player Novastar TB2-4G	288,00 €

Gi media®

Led Soluciones

- Carteles Exterior Full Color P10 Wifi

Descripción	Precio
72x24 cm Full color P10 wifi 1	120,00 €
102x40 cm Rojo	195,00 €
102x40 cm Full color P10 wifi 1	295,00 €
136x56 cm Full color P10 wifi 1	580,00 €
70x38 cm doble cara Full color P10 wifi 1	395,00 €
102x38 cm doble cara Full color P10 wifi 1	550,00 €
102x22 cm doble cara Full color P10 wifi 1	295,00 €
134x20 cm doble cara Full color P10 wifi 2	360,00 €
70x70 cm doble cara Full color P10 wifi 4	750,00 €
32x16 cm Placa (montaje según medida)	50,00 €



Gi media®

Led Soluciones

- Cruz de led para farmacia full color

Cruz de led para famacia a doble cara realizada con un pixelado de 20 mm.y un tamaño total del equipo (incluyendo sujecciones) de 808 x 1109 x 100 mm. y una resolución de 48 x 48 píxeles. Peso total del equipo (sin embalaje) de 40 Kg. Realizada con tricolor para generar imágenes full color y preparada para su colocación en exteriores tiene una luminsidad mínima de 6000 cd por metro cuadrado. Permite la inclusiónd de animacones, gráficos, hora, temperatura, fecha, etc. Comunicación con sistema de control por medio de protocolor RS232 de serie y opcionalmente mediante Wifi, GPRS/ TCP IP. Consumo máximo 510 W. con una vida media de leds antes de perder intensidad lumínica de 100000 horas



- Cruz de farmacia Led con color verde, rojo, blanco, y azul



- 145 x 145 x 8,5 cm.
- Acero Inoxidable.
- Bajo Consumo.
- Tecnología LED de alta luminosidad.
- Control de brillo programable.
- Uniformidad cromática.
- Exterior (protección IP54).
- Protección contra corrosión.
- Robustez y seguridad.
- Orla integrada de 8 LED.
- Cambio de Hora Automático
- Mensajes, Hora, Temperatura y Animaciones



Precio: desde 1395,00 €

Gi media®

Led Soluciones

- Carteles de Decoración con Forma de Letrero de Neón LED

Señal de Neón Decoración para Bares, Tiendas, Discotecas …..

Precio: 45,00 € (Prefabricado**)**

Precio: desde 120,00 € (60x60 cm, tu diseño**)**

Gi media®

Led Soluciones

- **Cartel de Luz Basico**

Precio: 12,00 €

Gi media®

Led Soluciones

- Farola solar LED 20W con sensor de movimiento

Potencia: 20W **, Temperatura color:** 6000k , **Grado de protección:** IP65 , **Para Exterior**

Precio: 34,00 €

- Farola solar LED 40W con sensor de movimiento

Precio: 49,00 €

Potencia: 40W **, Temperatura color:** 6000k , **Grado de protección:** IP65 , **Para Exterior**

Gi media®

Led Soluciones

- Farola solar LED Urban 60W



Potencia: 60W **, Temperatura color:** 6000k , **Grado de protección:** IP65 , **Para Exterior**

Precio: 137,00 €

- Farola solar LED Kain 80W



Potencia: 80W , **Temperatura color**: 6000k , **Grado de protección:** IP65 , **Para Exterior**

Precio: 133,00 €

Gi media®

Led Soluciones

- **Lampara LED Peluqueria y Belleza**

Precio: 78,00 € (68 cm**)**

Precio: 89,00 € (88 cm**)**

Precio: 65,00 € (pequeña**)**

Precio: 73,00 € (grande**)**

Precio: desde 85,00 €

Gi media®

Led Soluciones

- Proyector LED 3D Wifi, Máquina para Publicidad



Máquina de publicidad holográfica, dispositivo de proyección 3d, imagen rotativa, pantalla de ventilador, LED, sin pantalla, estereoscópica

Precio: 95,00 € (42 cm)

Precio: 195,00 € (54 cm)

- Foco Proyector para Proyectar Imagen / Logotipo

Luz publicitaria giratoria personalizada para interiores, proyectores con logotipo led para restaurante, oficina, hotel, tienda, supermercado, centro comercial

Descripción Proyector LED logo	Precio €	Descripción Proyector LED logo	Precio €	Descripción	Precio €
20W interior Fijo	97,00	50W interior fijo trifásico	218,00	50W IP65 efecto agua	363,00
20W interior Giratorio	145,00	50W exterior IP65 Fijo	242,00	80W interior 3 lentes	642,00
20W interior Fijo Empotrado	97,00	50W exterior IP65 Giratorio	291,00		
30W interior Fijo monofásico	152,00	30W industrial IP65 F/G	363,00	Lente Logo 1 color	25,00
30W interior Fijo trifásico	164,00	50W industrial IP65 F/G	460,00	Lente Logo 2 colores	50,00
50W interior Fijo	194,00	120W industrial IP65 F/G	775,00	Lente Logo 3 colores	75,00
50W interior Giratorio	218,00	200W industrial IP65 F/G	915,00	Lente multicolor	100,00
50W interior fijo monofásico	206,00	30W IP65 efecto decor agua	307,00		

Gi media®

Led Soluciones

- Carpeta Poster Led A 2 Caras A4 12V Dc



Carpetas Poster LED a 2 caras, funcionan a 12V DC con una potencia de 7.5w por cartel, se alimentan por los mismos tensores de acero. Incluye: 2 Tensores 2 Uniones entre carpetas 2 Cables

Protección: IP20 , **Alimentación:** 12V DC , **Dimensión:** 330X244X80 mm, **Material:** Aluminio/PC

Precio: 56,00 €

- Carpeta Poster Led A 2 Caras A3 12V Dc

Precio: 80,00 €

Carpetas Poster LED a 2 caras, funcionan a 12V DC con una potencia de 10w por cartel, se alimentan por los mismos tensores de acero. Incluye: 2 Tensores 2 Uniones entre carpetas 2 Cables

Protección: IP20 , **Alimentación:** 12V DC , **Dimensión:** 330X455X80 mm, **Material:** Aluminio/PC

Gi media®

Led Soluciones

- Mochila Led

MOCHILA URBAN LED La mochila más divertida, moderna y funcional CARACTERÍSTICAS Innovación, Diseño y Funcionalidad MOCHILA ULTIMA GENERACIÓN ¡UN DISEÑO DIVERTIDO Y APASINANTE

Precio: 85,00 €



Gi media®

www.gimedia.com

World Vision®

www.gimedia.com